
How Serious is the Global Warming Threat?

by
Roy W. Spencer
Principal Research Scientist, Earth System Science Center,
University of Alabama in Huntsville

An Economic Policy Lecture

*Presented by
Lindenwood University
and
Institute for Study of Economics and the Environment
Series 11, September 2006*

ISEE

A unit of Lindenwood University's Center
for the Study of American Culture and Values

LINDENWOOD

LINDENWOOD UNIVERSITY ST. CHARLES, MISSOURI

This publication is an expanded version of a talk by Dr. Roy W. Spencer presented on April 19, 2006 in Lindenwood University's Economic Policy Lecture Series. The lecture series is designed to engage students, faculty and off-campus guests of Lindenwood University in discussion of key economic and environmental issues of the day. These lectures are published in order to afford a variety of audiences across the nation the opportunity to benefit from them. The Institute for Study of Economics and the Environment (ISEE) directs the lecture series. This lecture was co-hosted with the Division of Management.

ISEE is a program of teaching and research at Lindenwood University. Its mission is "to improve student and public understanding of the basic economic concepts that can be used to guide effective and efficient environmental policy making." The Institute operates within the National Center for the Study of American Culture and Values at Lindenwood. Additional information on ISEE is available at:
<http://www.lindenwood.edu/academics/isee.asp>

Funding for ISEE is unrestricted, ensuring unbiased and independent research. The Institute is an integral part of Lindenwood University, which has been granted tax-exempt status under section 501(c)(3) of the Internal Revenue Code.

Donations can be made to the Institute for Study of Economics and the Environment at the following address:

Institute for Study of Economics
and the Environment
Lindenwood University
209 South Kingshighway
St. Charles, MO 63301
Attn: Dr. Kenneth Chilton

Copyright © 2006 by the Institute for Study of Economics and the Environment, Lindenwood University, St. Charles, MO. All rights reserved.

How Serious is the Global Warming Threat?

By Roy W. Spencer

INTRODUCTION

Global warming is the quintessential environmental issue. While the local effects of litter, chemical contamination, and aerosol pollution dominated our environmental concerns in the 1970s and 1980s, we are now faced with a threat that is global in extent and predicted to be long-lasting¹. The culprit is humanity's use of fossil fuels, which release carbon dioxide into the atmosphere when burned. Because carbon dioxide is a "greenhouse gas," it affects the radiative energy budget of the Earth. Though carbon dioxide is a relatively minor atmospheric constituent, with a concentration now approaching 400 parts per million (pre-industrial levels were about 280 parts per million), it acts like a "blanket" for infrared (heat) radiation, warming the lower atmosphere, and cooling the upper atmosphere².

The direct warming effect of a doubling of carbon dioxide (CO₂) concentrations (doubling is predicted to occur late in this century) has been estimated to be only about 1 degree C. While this is not a very worrisome level of warming, many computer climate models suggest warming levels of three or four times this magnitude. This extra warming is due to "positive feedback" in the models. Positive feedbacks occur when the direct warming tendency of the carbon dioxide is amplified by changes in clouds, water vapor, snow cover, and sea ice in the models. The existence and magnitude of these positive feedbacks are at the heart of scientific arguments over how much of the current global warmth is due to mankind's activities, and, therefore, how much global warming we can expect in the future.

But even if predictions of strong warming -- say 10 degrees F by the end of this century -- are correct, it is not at all clear what the best policy reaction to that threat should be. Because of the necessity of inexpensive energy sources for the health and well being of humans, it will be impossible to achieve substantial reductions in energy use through conservation. Instead, massive reductions in greenhouse gas emissions will require new energy technologies. Those technologies will likely be developed in the countries that can afford massive energy R&D efforts. Therefore, draconian, government-mandated punishment of fossil fuel use through carbon taxes or caps on greenhouse gases (GHGs) could very well hurt, rather than help, efforts to develop those new technologies.

Roy W. Spencer, PhD. is Principal Research Scientist at the Earth System Science Center, University of Alabama in Huntsville.

GLOBAL WARMING TO DATE

Globally averaged temperatures as measured by surface thermometers have warmed by about 0.6 degrees C (about 1 degree F) over the last one hundred years³ (see Figure 1). Three major features are evident in this temperature record. The first is a warming trend up until 1940, which is believed by many to represent the end of the “Little Ice Age”. Then, a gradual cooling trend is seen from the 1940s through the 1970s. This cooling could have been due to man-made aerosol pollution, which reflects sunlight, but this explanation is somewhat speculative. Finally, stronger warming has occurred since the 1970s up to the present. This warming is widely attributed to manmade greenhouse gases.

This recent warming trend is what worries many scientists, and has led to considerable media hysteria. Some believe that global temperatures are now warmer than they have been anytime in the last 1,000 years⁴.




Figure 1. Globally averaged yearly surface temperature fluctuations measured by thermometers for the period 1880 – 2005; Source: The NASA Goddard Institute for Space Studies (GISS) provides global thermometer data available online at <http://data.giss.nasa.gov/gistemp/>.

The claims that current temperatures are warmer than anytime in the last 1,000 years depend critically on proxy measurements – primarily tree ring data from a handful of locations that have long-lived species of trees. No doubt, most of the paleoclimate experts that perform this kind of research are fully convinced of the accuracy of these proxy estimates; however, many of the assumptions involved can never be tested and verified. Therefore, conclusions based upon proxy data are very suspect.

A central question is, “How much of the present warmth is due to mankind’s activities?” While several climate modelers⁵ have indeed come up with assumed magnitudes for aerosol cooling and greenhouse gas warming effects that explain the current warming trend, these are by no means the only possible explanations. Because we really do not understand, and thus are unable to model, the decadal-scale natural variability of the climate system, we really can not know with any certainty how much of the present warming is due to burning fossil fuels. For instance, due to a lack of sufficient observational data, changes in ocean circulation or cloud amounts could have

occurred without being detected. But science can only deal with what is understood, not with what is unknown. As a result, science has fallen into the bad habit of attributing most climate changes to human activities.

Anecdotal evidence such as melting sea ice and retreating glaciers would seem to provide convincing evidence. But thermometer measurements suggest that the Arctic region was at least as warm in the late 1930s as it is now. We only have reliable sea ice measurements⁶ since about 1979, when satellite measurements first began, thus, we really do not know whether recent sea ice trends are outside the realm of natural variability⁷.

Similar points can be made about receding glaciers. Glaciers respond to a variety of influences, especially precipitation. Only a handful of the thousands of the world's glaciers have been measured for decades, let alone for centuries. Some of the glaciers that are receding are uncovering tree stumps, indicating previous times when natural climate fluctuations were responsible for a restricted extent of the ice fields.

The bottom line is that, while we are indeed in a period of unusual warmth, it is not at all clear whether it is either unprecedented, or directly attributable to man-made greenhouse warming. Though scientists have suggested explanations for current warming that involve only man-made aerosols and greenhouse gas emissions, these are by no means the only possible explanations.

THE EARTH'S GREENHOUSE EFFECT

The term “greenhouse effect” really has two meanings. The Earth has a natural greenhouse effect that is mostly due to water vapor (about 90 percent of the effect), as well as carbon dioxide and methane. It has been pointed out many times that the Earth's natural greenhouse effect⁸ (again, primarily due to water vapor) keeps the Earth habitably warm. Indeed, were it not for this warming effect, life as we know it might not exist on Earth, as the surface would be too cold.

But the term “greenhouse effect” is also used to refer to the man-made “enhancement” of the Earth's natural greenhouse effect due to extra carbon dioxide produced by burning fossil fuels. “Global warming” usually refers to this man-made enhancement of the Earth's natural greenhouse effect.

A useful analogy for the Earth's natural greenhouse effect is that of a blanket. The blanket of water vapor, carbon dioxide, and methane traps infrared radiation and warms the lower atmosphere, while at the same time cooling the upper atmosphere. This effect is somewhat analogous to that of a blanket keeping warm air close to your body, while at the same time keeping cooler air away from your body. The thicker the blanket, the warmer it stays under the blanket, and the cooler it remains outside of the blanket.

While sunlight ultimately drives the climate system, infrared radiation is an equally important player. For the temperature of the Earth to remain roughly constant, the amount of sunlight absorbed by the entire Earth must equal the amount of infrared radiation lost to outer space. This is called “*radiative energy balance*”. Adding carbon dioxide, a greenhouse gas, changes the radiative balance of the Earth by not allowing

as much infrared cooling to occur to balance the solar heating. The result is presumed to be a warming that proceeds until the higher temperatures push the outgoing infrared radiation intensity back up to where it, once again, balances the incoming sunlight.

This radiative balance (or the presumed imbalance) has not, however, actually been measured; it has only been inferred⁹. NASA flies Earth-orbiting instruments that measure these radiative components, but the instruments are not accurate enough to reliably measure the expected imbalance between incoming sunlight and outgoing infrared energy. For all we know, the oceans may be giving up large amounts of heat that had been stored in centuries past, or clouds may have undergone recent changes, leading to natural radiative imbalances in the system. Because we do not have enough information to conclude otherwise, most scientists simply assume that balance exists.

GLOBAL WARMING THEORY

The fundamentals of global warming theory have a sound physical basis. We know that carbon dioxide is a greenhouse gas, and that atmospheric concentrations of CO₂ are increasing. And as can be seen in Figure 2, the atmospheric concentration of carbon dioxide has been steadily rising (routine measurements were started in 1958)¹⁰. Note that the atmospheric concentration is still relatively small as of 2005, only about 380 parts per million by volume.

Based upon *theoretical calculations*, and assuming that no natural radiative imbalance exists, one study infers a current man-made imbalance of about 0.85 Watts per square meter.¹¹ For reference, this can be compared to an estimated average value of about 340 Watts per square meter for both incoming and outgoing levels of radiation at the top of the atmosphere (globally averaged). If not for the current global warmth, the calculated imbalance would be even larger since some of the imbalance has presumably been alleviated by increased global temperatures.

The accuracy of the 0.85 Watts calculation, however, depends upon assumptions about many variables, such as global water vapor and cloud distributions, that are really not measured accurately enough to give this level of precision. In other words, this small imbalance assumes all the natural forcings in the climate system are stable. This is unlikely to be true. The oceans can store or release huge amounts of heat without large temperature changes. Indeed, we already know that large radiative imbalances exist locally and regionally, for this is what drives much of our weather.

My focus on these potential *natural* sources of global imbalances does not by itself prove that the man-made portion of any imbalance is unimportant. I only point them out as an example of how we assume climate stability is tied to radiative balance, when in fact climate stability (say, as measured by the average surface temperature of the Earth) might well exist even in the face of substantial radiative imbalances – imbalances that climate models have not been built to deal with.

Mauna Loa CO₂ Concentrations




Figure 2. Atmospheric carbon dioxide concentrations for the period 1958-2004 at Mauna Loa Observatory (based upon data collected by NOAA Climate Monitoring and Diagnostics Laboratory). Source: Data available online at <http://cdiac.esd.ornl.gov/trends/co2/sio-mlo.htm>.

Despite all of these uncertainties, we *do* know that the extra carbon dioxide does cause an extra trapping of infrared radiation, resulting in a warming *tendency* in the lower atmosphere (and presumably in the oceans). Doubling of CO₂ concentrations is expected to occur late in this century. The warming due to a doubling of carbon dioxide *alone*, without any other changes in the atmosphere (an unlikely scenario), would amount to only about 1-2 degree F. If this was the expected level of warming during this century, there would be relatively little worry.

Instead, the concern over how much warming will occur in the future is not so much because of the *direct* warming effects of the extra CO₂. Instead, the worry is that various weather processes might change in *response* to the warming tendency from the extra carbon dioxide in such a way that amplifies that response (positive feedback). For instance, a decrease in low clouds in response to the warming tendency would be a positive feedback, since it amplifies the warming by letting more sunlight reach the surface.

Similarly, an increase in water vapor (the Earth's dominant greenhouse gas) would also amplify the warming. Indeed, water vapor is believed by many climate scientists to be the dominant positive feedback in the climate system. A warming tendency should evaporate more water from the surface, which by itself would cause further warming, which causes more evaporation, etc. This is why water vapor feedback is generally believed to amplify the warming due to carbon dioxide alone, by at least a factor of two.

In computer model simulations of the climate system, which are simplified mathematical representations of the most important weather processes, the net feedback is usually found to be positive.¹² In a few models, it is strongly positive. This is why some climate experts talk about a potential threat of temperature rises of 10 degrees F

or more in response to a doubling of carbon dioxide. These large values occur because positive feedbacks combine in such a way that they tend to amplify each other.

But are these feedbacks really understood well enough to believe the predictions of climate models that include those feedbacks? Is our climate system really that sensitive to a small increase in greenhouse gases? At some point, climate modelers must depend upon faith...faith that they know the sign and magnitude of these feedbacks, and that the model forced by these feedbacks is behaving in a realistic manner.

Clearly, global warming theory depends upon assumptions as much as it does on scientific observations. How much of the current (or predicted) warming a scientist believes is due to mankind ultimately comes down to how much faith that person has in our present understanding of what drives climate fluctuations, the computer climate models that contain that understanding, and ultimately, faith in how fragile or resilient the Earth is.

THE EARTH'S THERMOSTAT

There is a yet another simple aspect of the climate system that argues against substantial future warming. It has been computed that, even though the natural greenhouse effect “tries” to increase the surface temperature of the Earth to about 140 degrees F, 75 percent of that warming is prevented from ever occurring.¹³ Weather – clouds, rain, wind – is the result of the atmosphere’s response to the warming rays of the sun, short-circuiting the Earth’s natural greenhouse effect and greatly limiting surface warming.

Thus, even though water vapor (through its greenhouse effect) keeps the Earth habitably *warm*, the same water vapor also represents *heat removal* processes that also keep the Earth habitably *cool*. In other words, the characteristics of water moderate and stabilize the climate against large temperature fluctuations.

The heat absorbed by the water vapor is carried by convective air currents that transport the extra heat and water vapor upward, eventually causing clouds to form. This further cools the climate by shading some of the Earth from the sun. Some of the condensed water in the clouds returns to the Earth as precipitation, replenishing the surface water so that the whole process, called the hydrologic cycle, can start all over again. As a result of all of the cooling processes associated with weather systems, the average surface temperature of the Earth is about 55 degrees F, rather than a scorching 140 degrees F.¹⁴

These processes are, however crudely, included in climate models. The point is that the *net effect* of clouds, water vapor, precipitation – in short, weather and the global hydrologic cycle – is to substantially cool the surface of the Earth below what the natural greenhouse effect would cause it to be for a given amount of incoming sunlight. So, without firm evidence that the net atmospheric feedbacks are indeed positive, there is still substantial uncertainty about mankind’s influence on global temperatures.

But how could climate models that predict large amounts of warming all be wrong? First, let us look at a feedback that is believed to be well understood: positive water vapor feedback.

It is true that if the surface warms, there will be more water evaporated from the surface, and water vapor is the Earth's dominant greenhouse gas. But the average amount of water vapor in the atmosphere is not simply due to how much water is evaporated from the surface....that is only half of the story. If evaporation was to occur unchecked, the global atmosphere would become totally saturated with water within a matter of days or weeks. This does not happen. Instead, the average amount of vapor in the atmosphere is the result of a balance between the vapor source (evaporation) and the vapor sink (precipitation). Therefore, one can not determine how atmospheric water vapor will change with warming without understanding precipitation systems and their response to warming.^{15,16}

And how will precipitation systems change in response to warming? No one knows. A minority of scientists (myself included) contend that, until we understand how precipitation processes respond to warming, we really do not know whether water vapor feedback is strongly positive, weakly positive, or zero. Yet water vapor feedback is considered by many scientists to be a "solved" problem.

Clouds, in contrast, represent a feedback that everyone agrees is uncertain.¹⁷ It has been calculated that only a couple percent increase in low clouds would offset the warming effects of a doubling of atmospheric carbon dioxide from fossil fuel use. Because all of these processes (evaporation, clouds, precipitation) are interconnected, it really is misleading to treat them as separate feedbacks. They are all so intimately tied together, that climate models should treat them as a system, not individually.

GLOBAL WARMING PREDICTIONS AS FAITH

Hopefully the foregoing discussion makes it clear just how much faith is required to extrapolate our current level of climate understanding to predictions of future climate change. Climate models are, their creators will admit, relatively crude representations of how the atmosphere works. Just because the models do a reasonably good job of replicating the seasons (which are forced by huge variations in the energy source, sunlight) does not mean that they respond properly to the warming tendency of a minor greenhouse gas, carbon dioxide.

Nevertheless, a majority of climate modelers and climate scientists have sufficient faith in the models to argue for their use as predictive tools. Unfortunately, the track record of scientific predictions of massive environmental changes of any kind has been poor. This has led to a public distrust, mostly deserved, of scientific predictions of catastrophe.

Of course, substantial global warming is not out of the question. Nevertheless, both in terms of threats to humanity as well as to the Earth, there are usually unforeseen checks and balances in place that prevent predicted climate calamities from ever materializing. This statement involves faith, as well, but it is grounded in past experience, whereas catastrophic global warming beliefs are founded more in fear, conjecture, and a myriad of assumptions (both explicit and implicit).

BENEFITS FROM WARMING

Suppose future warming is relatively modest, due to stabilizing mechanisms within the climate system. If this is the case, global warming could actually produce substantial net benefits. These benefits are seldom discussed in scientific circles. Comparatively little government research money is available to investigate possible benefits, and the media prefer to report predictions of gloom and doom.

The largest positive impact could be to agriculture. Based upon estimates of global energy use, the current rate of rise in atmospheric carbon dioxide concentration shown in Figure 2 is only 50 percent of what it should be. The other 50 percent is apparently being absorbed by the biosphere, which uses it for food. This fact alone has led some plant physiologists to conclude that some of the increase in agricultural productivity in recent decades is likely due to the increased fertilization of crops from higher carbon dioxide levels. Of course, most of the vegetation on Earth is non-agricultural, and it, too, is being increasingly fertilized. Much research has been performed examining the combined effects of extra warmth and extra CO₂ on various kinds of plants. The bulk of the results show net benefits to plant health, growth, and sensitivity to drought.¹⁸

POLICY IMPLICATIONS

Even if global warming proves to be a serious problem, it is not at all clear what should (or even can) be done about it. If it was easy to switch to fuels which produce little or no carbon dioxide, it would be foolish not to do so, given the potential risks of a 10 degree F rise in global temperatures by the end of this century. But policy choices invariably involve weighing costs and benefits. They also necessarily involve assumptions about where our future sources of energy will come from, and whether there will be any countries wealthy enough to fund new energy technology R&D if we mandate CO₂ reductions by fiat.

The main difficulty in “doing something” about global warming is the fact that inexpensive energy helps drive economic growth, human health and well-being. Historically, those countries that build wealth through efficient use of natural resources have the lowest levels of pollution and population growth. The poorest countries have the worst environmental problems, and their high rates of population growth put additional pressures on the environment.

The concern that the richest countries of the world have the least sustainable environmental practices is contrary to the evidence. The relationship between an Environmental Sustainability Index and per capita gross domestic product for 117 nations of the world shows a statistically significant positive relationship between the two variables.¹⁹ Thus, on average, the wealthier the country, the more sustainable are its environmental practices.

Because alternative fuels are, at least for now, more expensive than fossil fuels, mandating their use through governmental controls will come at the expense of other portions of the economy. If there were alternative sources of energy that were cost-competitive with petroleum and coal, they would already be in widespread use, at least

in those economies that, like the United States, have free markets. Any economic downturn resulting from punishing fossil fuel use will affect the poor first and foremost. They can ill afford high heat and light bills and high transportation costs. While the wealthy can absorb the extra cost of, say, a \$2 increase in the cost of gasoline, many of the poor can not. Moreover unskilled workers are more likely to become unemployed due to economic contractions.

Even if global warming ends up being a serious problem, it is not at all clear what should be done about it right now. Environmental activists today seem only interested in reducing fossil fuel use *immediately*. They appear unwilling to consider other approaches (e.g. intensive research into new energy technologies) that might actually accomplish the greatest reductions in the long term.

CONCLUSION

While future catastrophic global warming is theoretically possible, such a conclusion depends critically upon a myriad of assumptions contained in computer climate models being substantially correct. These assumptions, taken together, represent faith on the part of many climate modelers. A basic tenet of that faith is that the climate system is fragile, and very sensitive to small perturbations, particularly our production of carbon dioxide, a relatively minor atmospheric greenhouse gas. I have argued that there is just as much reason to have faith that the climate system is relatively insensitive to a doubling of carbon dioxide, which is expected to occur later in this century.

But even if predictions of strong global warming are correct, it is not clear what policies to employ to avoid this eventuality. Inexpensive energy is necessary for human health and well being. Punishing the use of fossil fuel through CO₂ emission caps or taxation will be unpopular and relatively ineffective. Technological solutions to the problem seem to be the only long-term option. Because only the wealthy countries of the world can afford the R&D to bring this about, hurting those economies with carbon caps and taxes would likely prove to be counter-productive to finding those solutions

SOURCES

1. Hansen, J., 2004: Defusing the global warming time bomb. *Scientific American*, March, Vol. 290, pp. 68-77.
2. Manabe, S., and R.T. Wetherald, 1975: The effects of doubling the CO₂ concentration on the climate of a general circulation model. *Journal of Atmospheric Sciences*, Vol. 32, pp. 3-15
3. The NASA Goddard Institute for Space Studies (GISS) provides global thermometer data available online at <http://data.giss.nasa.gov/gistemp/> .
4. Mann, M.E., R.S. Bradley and M.K. Hughes, 1999: Northern hemisphere temperatures during the past millennium: inferences, uncertainties and limitations. *Geophysical Research Letters*, 26(6), pp. 759-762; and Mann, M. E., R.S. Bradley and M.K. Hughes, 1999: Data for northern hemisphere temperatures 1000-1980, available at www.ngdc.noaa.gov.
5. Hansen, J., et al., 2005: Earth's Energy Imbalance: Confirmation and Implications. *Science Magazine*, 28 April.
6. NASA update on Arctic sea ice decrease as measured by satellite, available online at: <http://www.sciencedaily.com/releases/2005/09/050930082116.htm>; NASA update on Antarctic sea ice increase as measured by satellite is available online at: <http://www.gsfc.nasa.gov/topstory/20020820southseaice.html>
7. Rigor, I.G., Wallace, J.M. and Colony, R.L., 2002. Response of sea ice to the Arctic Oscillation. *Journal of Climate*, Vol. 15, pp. 2648-2663.
8. Houghton, J.T., 1977: *The Physics of Atmospheres*. Cambridge University Press.
9. Hansen, J.E., and M. Sato, 2001: Trends of measured climate forcing agents. *Proceedings of the National Academy of Sciences*, Vol. 98, Dec. 18, pp. 14,778-14,783.
10. Keeling, C.D. and T.P. Whorf. 2005. Atmospheric CO₂ records from sites in the SIO air sampling network. In *Trends: A Compendium of Data on Global Change*. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, U.S. Department of Energy, Oak Ridge, Tenn., U.S.A.
11. Hansen, J., et al., 2005: Earth's Energy Imbalance: Confirmation and Implications. *Science Magazine*, 28 April.
12. Zhang, M.H., J.J. Hack, J.T. Kiehl, and R.D. Cess, 1994: Diagnostic study of climate feedback processes in atmospheric general circulation models. *Journal of Geophysical Research*, Vol. 99, pp. 5,525-5,537.
13. Manabe, S., and R. F. Strickler, 1964: Thermal equilibrium of the atmosphere with a convective adjustment. *Journal of Atmospheric Sciences*, Vol. 21, pp. 361-385.
14. Op Cit, Manabe and Strickler.
15. Renno, N.O., K.A. Emanuel, and P.H. Stone, 1994: Radiative-convective model with an explicit hydrologic cycle, 1: Formulation and sensitivity to model pa-

- rameters. *J. Geophys. Res.*, 99, 14,429-14,441.
16. Grabowski, W.W., 2000: Cloud microphysics and the tropical climate: Cloud resolving model perspective. *Journal of Climate*, Vol. 13, pp. 2,306-2,322.
 17. Cess, R.D., et al., 1996: Cloud feedback in atmospheric general circulation models: an update. *Journal of Geophysical Research*, Vol. 101, pp. 12,791-12,794.
 18. For a good summary of the enhanced fertilization effects of extra carbon dioxide, see 1999 congressional testimony by Keith Idso, available online at http://www.house.gov/science/idso_100699.htm
 19. Lomborg, Bjorn, 2001: *The Skeptical Environmentalist: Measuring the Real State of the World*. Cambridge University Press, New York, NY, 515 pp.

Dr. Roy W. Spencer is a principal research scientist for the University of Alabama in Huntsville and the U.S. Science Team Leader for the Advanced Microwave Scanning Radiometer (AMSR-E) on NASA's Aqua satellite. In the past, he has served as Senior Scientist for Climate Studies at NASA's Marshall Space Flight Center in Huntsville, Alabama. Dr. Spencer is the recipient of NASA's Medal for Exceptional Scientific Achievement and the American Meteorological Society's Special Award for his satellite-based temperature monitoring work.



He is the author of numerous scientific articles that have appeared in *Science*, *Nature*, *Journal of Climate*, *Monthly Weather Review*, *Journal of Atmospheric and Oceanic Technology*, *Journal of Climate and Applied Meteorology*, *Remote Sensing Reviews*, *Advances in Space Research*, and *Climatic Change*.

Dr. Spencer received his Ph.D. in Meteorology from the University of Wisconsin in 1981.

Other Publications in the Series Include:

1. **Meeting America's Future Energy Needs**, Murray Weidenbaum, January 2003
2. **Toward Better Environmental Education**, Jane Shaw, March 2003
3. **The Effects of Globalization: A View from the Developing World**, Andrès Mejia-Vernaud, September 2003
4. **Moving Beyond Conflict: Private Stewardship and Conservation Partnerships**, Lynn Scarlett, March 2004
5. **Globalization's Effects on the Environment – Boon or Bane?** Jo Kwong, July 2004
6. **Motivating China to Play Fair in Global Markets**, William H. Lash III, January 2005
7. **Is Climate Change the 21st Century's Most Urgent Environment Problem?** Indur Goklany, April 2005
8. **Improve the Environment ... Leave it to the States ... and People**, Becky Norton Dunlop, October 2005
9. **How Dangerous is the U.S. Current Account Deficit?** William Poole, February 2006
10. **Breathing Easier About Air Quality**, Joel Schwartz, April 2006

For additional copies of this study or a single copy of previous studies, write or phone:

Dr. Kenneth W. Chilton
Institute for Study of Economics and the Environment
Lindenwood University
209 South Kingshighway
St. Charles, MO 63301

Phone: (636) 949-4742

LINDENWOOD

209 S. KINGSHIGHWAY

ST. CHARLES, MISSOURI 63301

NON-PROFIT
ORGANIZATION
U.S. POSTAGE
PAID
PERMIT NO. 84
ST. CHARLES, MO

BULK RATE